



AVAILABLE COLOURS



ATHLETIC BLUE METALLIC



BLACK



MATT CRUST METALLIC

Dealer Stamp

RS Honda
Marris Road
Aligarh

Tel: 9557999920

Mob: 6397999042 || Customer care -741703444C

TECHNICAL SPECIFICATIONS⁺

| BODY DIMENSIONS | |
|---------------------------|--|
| Length | 2020 mm |
| Width | Drum - 742 mm, Disc - 751 mm |
| Height | 1116 mm |
| Wheel Base | 1278 mm |
| Ground Clearance | 163 mm |
| Kerb Weight | Disc/Drum - 113 kg |
| Seat Height | 790 mm |
| Fuel Tank Capacity | 9 L |
| ENGINE | |
| Type | Air Cooled, 4 Stroke, SI, BS-VI Engine |
| Displacement | 109.51 cc |
| Max Engine Output | 6.47 KW @ 7500 rpm |
| Max Torque | 9.30 N-m @ 5500 rpm |
| Fuel System | PGM-FI |
| Bore x Stroke (mm) | 47 x 63.121 |
| Compression Ratio | 10.1:1 |
| Starting Method | Self/Kick |
| TRANSMISSION | |
| Clutch Type | Multiplate Wet Clutch |
| No. of Gears | 4 Gear |
| TYRES & BRAKES | |
| Tyre Size & Type (Front) | 80/100-18 M/C 47P, Tubeless |
| Tyre Size & Type (Rear) | 80/100-18 M/C 54P, Tubeless |
| Brake Type & Size (Front) | Disc - 240 mm, Drum - 130 mm |
| Brake Type & Size (Rear) | Drum - 130 mm |
| FRAME & SUSPENSION | |
| Frame Type | Diamond Type |
| Front Suspension | Telescopic |
| Rear Suspension | Hydraulic Type |
| ELECTRICALS | |
| Battery | 12V, 4Ah |
| Headlamp | Halogen Bulb, DC |

•*The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • New Livo meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment • All features may not be part of all variants.

Honda Motorcycle and Scooter India Pvt. Ltd.,

Registered Office: Plot No. 1, Sector - 03, IMT Manesar, Distt. Gurugram, (Haryana) - 122050 (Haryana), India **Visit us at:** www.honda2wheelersindia.com

Customer Care: customercare@honda2wheelersindia.com

Live Life Livo Style

Now with new attractive graphics



BOOK ONLINE NOW!
www.honda2wheelersindia.com



Livo

CUTTING EDGE TECHNOLOGY




eSP TECHNOLOGY

Honda's Enhanced Smart Power (eSP) technology maximizes performance and fuel-efficiency by reducing friction. Honda Livo powered by amazing **eSP Technology** with an eco-friendly **BS-VI OBD-2** compliant engine that keeps emissions in check.



PGM-FI

PGM-FI system with sensors constantly injects optimum fuel and air mixture resulting in efficient combustion that aids in consistent power output and higher mileage.



SILENT START WITH ACG

Honda's unique ACG starter motor removes gear meshing noise and helps start the engine without a jolt.



FRICION REDUCTION

The piston cooling jet reduces friction and maintains optimum engine temperature. The offset cylinder and rocker roller arm further reduces the frictional losses in the engine.

URBAN STYLE



EDGY FRONT LOOK

Always arrive in style with the unique combination of a muscular shroud, chiseled visor, sharp headlight, and detailed air duct design.



STRONG REAR APPEARANCE

Leave a strong impression with an excitingly designed tail-lamp and grab rail.



MUSCULAR TANK DESIGN WITH STRIKING GRAPHICS

A definite head-turner, the muscular fuel tank design with edgy graphics makes it very appealing.



DIGITAL ANALOGUE METER

Get all the ride information in style with precision.



COMFORT AND CONVENIENCE



DC HEADLAMP
The DC Headlamp gives consistent illumination while riding irrespective of the speed and riding conditions.



5-STEP ADJUSTABLE REAR SUSPENSION
Make your ride comfortable with 5-Step Adjustable Rear Suspension on all road conditions.



INTEGRATED ENGINE START/STOP SWITCH
Start and stop your bike with just the flick of a switch anytime anywhere. Enjoy enhanced convenience.



SERVICE DUE INDICATOR
Want to keep your Livo in the best condition all the time? No problem. Service due indicator on the meter console will give a reminder, even if you forget.



LONG AND COMFORTABLE SEAT
Makes every ride comfortable for the rider and pillion, despite the conditions of the road.



CBS WITH EQUALIZER
The Equalizer Technology in Combi Brake System distributes optimal braking force between front and rear wheels ensuring shorter braking distance with rock-solid balance.



3 + 7 YEARS WARRANTY PACKAGE
Complete peace of mind with 10 years warranty package, comprising 3 years standard and 7 years optional service warranty.