



RS Honda

INTRODUCING

DIO
125
X-EDITION

**RIDE YOUR
XCLUSIVE**



Introducing the **Honda Dio 125 X-Edition** -
a sharper take on the iconic Dio with bold
new design elements. Dio 125 X-Edition is built
to make every ride exciting and effortless.



*The Dio 125 X- Edition is available in Deluxe variant only.

STYLE

ALL-NEW STYLISH & DYNAMIC GRAPHICS

Bold, youthful graphics bring motion and attitude to the Dio 125 X-Edition. Designed to command attention, these striking visuals give the scooter a strong street presence—standing out confidently in traffic and at every stop.

X-EDITION DECALS

Exclusive X-Edition decals reinforce the scooter's distinct identity, signalling a more aggressive and contemporary character.

DUAL COLOUR BODY

The dual-tone body treatment enhances the scooter's sporty appeal, adding depth and contrast that elevates its premium, modern look.

ALLOY WHEELS: WHEELS THAT TURN HEADS

The all new Mat Frash alloy wheels not only enhance visual impact but also improve balance and durability. Designed for confidence, they complement both city rides and daily commutes.





LED HEADLAMP & POSITION LAMP

For trendsetters who own the night, the sleek LED lights provide a bright, clear view of the road ahead. And the distinctive LED lamp enhances the bold look while adding a touch of flair to your style.



LED TAIL LAMP

The sleek LED tail lamp completes the dynamic rear styling while improving visibility for added safety.

SPLIT GRABRAIL

A bold, sleek grabrail that grabs attention from the first glance onwards.

MUFFLER

A thunderous sound for a thunderous entry. Dio 125's dual-tip muffler announces your arrival before you even arrive.



TECHNOLOGY

TFT SCREEN DISPLAY

The TFT meter delivers crisp visuals and clear ride information at a glance.

Designed for modern riders, it keeps you informed, connected, and in control at all times.

FUEL EFFICIENCY INTELLIGENCE


- Live Mileage Indicator
- Average Mileage
- Distance to Empty
- Eco Indicator





ADVANCED IDLING STOP SYSTEM (AISS)

Advanced Idling Stop System Engine automatically comes to a stop whenever the Dio 125 is under 21Kmph, saving extra fuel in heavy traffic.



POWERFUL 125cc ENGINE

Top-tier power and acceleration to make rides exciting.

PGM-FI FUEL INJECTION

The PGM-FI system optimizes fuel and air for efficient combustion, ensuring steady power and better mileage.



SILENT START WITH ACG

The ACG Starter provides a smooth, silent start every time, and reduces engine maintenance.



RELIABILITY & COMFORT



OPEN GLOVE BOX

An open glove box that's amazingly spacious. So, whether it's your sipper or sunglasses, keep all your essentials close.

USB TYPE-C CHARGING PORT

With the built-in USB Type-C charger, never ever worry about your phone's battery running out.

DOUBLE LID EXTERNAL FUEL FILL

Now no need to get up to get your
Dio refilled with a double-lid
external fuel fill.



HONDA

PASSING SWITCH

Pass like a boss with an easy-to-use
passing switch for high beam,
low beam, and passing with a flick.





SAFETY

SIDE STAND ENGINE CUT-OFF

It automatically shuts off the engine for added safety when the side stand is engaged.

TELESCOPIC FRONT SUSPENSION

Say goodbye to bumpy rides! Our telescopic suspension features dual hydraulic shock absorbers with internal coil springs, designed for minimum vibrations, maximum comfort.

FRONT DISC BRAKE

High-performance disc brakes fitted in sleek alloy wheels, perfect for those who like to stay stylishly in command.

TECHNICAL SPECIFICATIONS



Body Dimensions

| | |
|--------------------|-------------------|
| Length | 1830 mm |
| Width | 707 mm |
| Height | 1172 mm |
| Wheel base | 1260 mm |
| Ground clearance | 171 mm |
| Seat Length | 708 mm |
| Kerb weight | 105kg (X edition) |
| Fuel tank capacity | 5.3L |



Engine

| | |
|-------------------|----------------------|
| Type | 4 Stroke, SI Engine |
| Displacement | 123.92cc |
| Max net power | 6.11 kW @6500rpm |
| Max net torque | 10.5 N-m @5000rpm |
| Bore | 50 |
| Stroke | 63.113 |
| Fuel System | PGM-FI |
| Compression ratio | 10.0:1 |
| Air filter type | Viscous Paper Filter |
| Starting method | Self |



Transmission

| | |
|-------------|--|
| Clutch Type | Automatic Centrifugal Clutch Dry Type |
|-------------|--|



Tyres & Brakes

| | |
|---------------------------|------------------------|
| Tyre Size & Type (Front) | 90/90-12 54J Tubeless |
| Tyre Size & Type (Rear) | 90/100-10 53J Tubeless |
| Brake Type & Size (Front) | Disc- 190mm |
| Brake Type & Size (Rear) | Drum- 130mm |



Frame & Suspension

| | |
|------------------|---|
| Frame Type | Underbone |
| Front Suspension | Telescopic |
| Rear Suspension | 3-Step Adjustable Spring Loaded Hydraulic |



Electricals

| | |
|----------------|-------|
| System Voltage | 12V |
| Battery | 5.0Ah |
| Head lamp | LED |

+The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • Dio 125 meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment. Conditions apply.